	Application No.	Applicant(s)
Notice of Allowability	10/785,355	HALSBERGHE ET AL.
	Examiner	Art Unit
	Andrew T. Sever	2851
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>amdt of 5/10/2005</u> .		
2. The allowed claim(s) is/are 1.3 and 8-20.		
3. The drawings filed on 24 February 2004 are accepted by the Examiner.		
4. ☐ Acknowledgment is made of a claim for foreign priority una) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. ☐ A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must (a) ☐ including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	been received. been received in Application No cuments have been received in this of this communication to file a reply IENT of this application. itted. Note the attached EXAMINER bes reason(s) why the oath or declarate to be submitted. con's Patent Drawing Review (PTO-	national stage application from the complying with the requirements 'S AMENDMENT or NOTICE OF ation is deficient.
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the	.84(c)) should be written on the drawing to 37 CFR 1.121(ngs in the front (not the back) of d).
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1. Notice of References Cited (PTO-892)		Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	 Interview Summary Paper No./Mail Date 	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	8), 7. 🛛 Examiner's Amendr	
4. Examiner's Comment Regarding Requirement for Deposit		ent of Reasons for Allowance
of Biological Material	9. Other	
, ,		

Page 2

Art Unit: 2851

Application/Control Number: 10/785,355

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes 1. and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with William Lee on May 26, 2005.

The application has been amended as follows:

Please change claim 9 to read:

9. A convergence system according to claim 8, wherein said intermediate parts are 100% constructed of ceramics.

Allowable Subject Matter

Claims 1, 3, and 8-20 are allowed. 2.

> See reasons for allowance of claim 2 in office action mailed on 2/10/2005 and applicant's arguments received on 5/10/2005.

Application/Control Number: 10/785,355

Art Unit: 2851

Page 3

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Andrew T. Sever whose telephone number is 571-272-2128. The examiner can normally be reached on 9:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Judy Nguyen can be reached on 571-272-2258. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

AS

JUDY NGUYEN
JUDY NGUYEN
ENTENT EXAMINER